



**Crewsaver®**

# AIR DECK

## COMPACT INFLATABLE BOAT RANGE

**Get out on the water with ease this summer.** Our lightweight Air Deck inflatable boats are easy to transport and compact to stow, providing you with the ideal option for your yacht tender retirements or a small boat option for getting out on the water. The Air Deck is constructed using drop-stitch technology which offers rigidity for increased boat performance while keeping weight to a minimum.

### BENEFITS



- Thick rubbing strake around the boat to prevent damage
- Made with drop-stitched fabric that gives an extreme rigidity and resistance to perforation
- 2 x stainless steel tow rings fitted around the bow
- 2 x stainless steel eye bolts fitted to transom for davit attachment
- Quick to inflate and deflate
- Solid end cones for protection
- Compact and easy to stow



**“Affordable, high-quality  
tenders available in 5 sizes”**

# AIR DECK


## COMPACT INFLATABLE BOAT RANGE



## WHAT IS INCLUDED

- Foot pump
- Repair kit
- 2x paddles
- Carry valise (bag)
- Mooring line
- Sliding alloy seat

Air deck range comes in 5 size options. Illustration example of sizes.



### TECHNICAL DATA

Name / Part Code	CREWSAVER AIR DECK 180 / 85050-180	CREWSAVER AIR DECK 200 / 85050-200	CREWSAVER AIR DECK 230 / 85050-230	CREWSAVER AIR DECK 260 / 85050-260	CREWSAVER AIR DECK 270 / 85050-270
Length mm	2000	2000	2300	2600	2700
Width mm	1290	1290	1300	1310	1350
Tube Diameter mm	320-350	350	350	370	360-400
Number of Persons	1.5	2	3	3	3.5
Max. Loaded Weight kg	200	250	350	400	484
Weight kg	16.5	17	19	21	22
Max Power (HP)	2.5	4	5	5.26	5.9
Max Power (kw)	1.9	3	3.75	3.9	4.3
Packed Dimensions mm	700 x 400 x 500	800 x 400 x 450	800 x 400 x 500	800 x 400 x 500	900 x 400 x 500
Material	1000 Denier, 0.7mm thickness, 850g/m², 2800/2500 tensile strength, 250/300 tear strength, 105 adhesion strength				

Approvals  
ISO approved

